


CP4206



Labels for Life.



Face Stock: 15 mil clear matte polycarbonate with special hardcoat to deliver very good chemical/abrasion resistance, plus very good UV resistance. Suitable for both indoor and outdoor applications.

UV Resistant Hardcoat Polycarbonate Film

CP4206 is specifically designed for outdoor graphic applications, including warning labels, outdoor menu boards, gasoline pumps, outdoor lenses and marine graphics.

Typical Applications

Nameplates and membrane or standard overlays requiring sub-surface printing

Typical Industry Sectors

Automotive
Electronics
Industrial



www.identco.com

CP4206

UV Resistant Hardcoat Polycarbonate Film



Labels for Life.



Agency Recognitions

RoHS Directive Compliant 2002/95/EC
UL 94 HB



Adhesion

No adhesive.



Material Caliper

Face Stock	.015"	254.0 μ
Total Material	.015"	254.0μ



Exterior Durability

Very good - Below 5.0 on ASTM D1925 Yellowness Index after 2000 hours in Xenon Arc.



Temperature Range

Heat deflection temperature:	290 °F (143 °C)	Vicate softening temperature:	320 °F (160 °C)
Shrinkage temperature:	302 °F (150 °C)	Brittleness temperature:	-211 °F (-135 °C)



Shelf Life

Recommended Storage: 45-90 °F (7-32 °C) 20-75%R.H.
Shelf Life: 2 years @ recommended storage



Recommended Printing

Screen printed



Chemical Resistance

Testing can be completed upon request.



Process Durability

It is recommended that customers test the material in actual application to determine if the material meets all requirements.

Note: All values shown are averages and should not be used for specification purposes. Test data and test results contained in this document are for general information only and shall not be relied upon by IDENTCO customers for designs and specifications, or be relied on as meeting specific performance criteria. Customers desiring to develop specifications or performance criteria for specific product applications should contact IDENTCO for further information. Revised 06/13/18.

UNITED STATES HEADQUARTERS

28164 W. Concrete Drive,
Ingleside, IL 60041 USA
Phone: +1 (815) 385 - 0011
Fax + (815) 385 - 0359

MEXICO MONTERREY

Carretera a Laredo KM 16.5
Interior 14B Col. Moises Saenz
Apodaca, Nuevo Leon CP 66613
Phone: +51 (81) 8008 - 0438

EUROPE GERMANY

Güterbahnhofstraße 3-7
63450 Hanau
Phone: +49 (6181) 440 830 - 0
Fax: +49 (6181) 440 830 - 99

ASIA HONG KONG

Unit 1208, 12/F, Grand City Plaza
Tsuen Wan, New Territories
Phone: +852 2959 2156
Fax: +852 2959 2019